jcpt

Concept-Author-Title INDEX

VOLUME 25, NUMBERS 1-6, 1986

A

Acid Numbers — Acid Numbers of Saskatchewan Heavy Oils, by R.J. Parker and E.S.N. Chung, Vol. 25, No. 4, P72-75, July-Aug. 86.

Air-water-bitumen Saturation — Thermal Property Measurements in Oil Sands, by J.D. Scott and A.C. Seto, Vol. 25, No. 6, P70-77, Nov.-Dec. 86.

Akhtar, N. — Offshore Topside Facilities Optimization, by J.I. Mockridge and N. Akhtar, Vol. 25, No. 4, P45-51, July-Aug. 86.

Ambrose, J.G. — Optimization of Petroleum Exploratory Wells Within a Basin, by J.G. Ambrose and S. Bandopadhyay, Vol. 25, No. 3, P66-72, May-June 86.

Aspargour, S. — Effect of Multiple-contact Miscibility on Solvent Slug Size Determination, by S.M. Chen, J. Olynyk and S. Asgarpour, Vol. 25, No. 3, P29-35, May-June 86.

B

Bandopadhyay, S. — Optimization of Petroleum Exploratory Wells Within a Basin, by J.G. Ambrose and S. Bandopadhyay, Vol. 25, No. 3, P66-72, May-June 86.

Batycky, J.P. — Hydrocarbon Solvent Design Using Miscible Equivalence, by J.P. Batycky, E.S. Vittoratos and R.S. Wu, Vol. 25, No. 3, P24-28, May-June 86.

— Miscible Displacement of Residual Oil—Effect of Wettability on Dispersion in Porous Media, by B.B. Maini, E. Ionescu and J.P. Batycky, Vol. 25, No. 3, P36-41, May-June 86.

— Enriched Gas Displacement: Design of Solvent Compositions, by R.S. Wu, J.P. Batycky, B. Harker and D. Rancier, Vol. 25, No. 3, P55-59, May-June 86.

Baxendale, D. — Offshore Reservoirs—a Different Engineering Approach is Required, by I. McIntosh and D. Baxendale, Vol. 25, No. 1, P28-38, Jan.-Feb. 86.

Bentsen, R.G. — A Dynamic Method for Measuring Relative Permeability, by M. Rafiqul Islam and R.G. Bentsen, Vol. 25, No. 1, P39-50, Jan.-Feb. 86.

— A Mathematical Representation of the Carr, Kobayashi and Burrows Natural Gas Viscosity Correlations, by P.M. Dranchuk, M.R. Islam and R.G. Bentsen, Vol. 25, No. 1, P51-56, Jan.-Feb. 86.

Binary Interaction Coefficient — Binary Interaction Coefficients of the Modified Soave-Redlich-Kwong Equation of State for Bitumen-Containing Systems at In Situ Conditions, by Cheng-Tze Fu and Rao Puttagunta, Vol. 25, No. 5, P38-43, Sept.-Oct. 86.

Bird, G.W. — Modelling Silica Transport in Large-scale Laboratory Experiments, by T. Stone, J. Boon and G.W. Bird, Vol. 25, No. 1, P76-84, Jan.-Feb. 86.

— Fluid/Pore-mineral Transformations during Simulated Steam Injection: Implications for Reduced Permeability Damage, by B.A. Hebner, G.W. Bird and F.J. Longstaffe, Vol. 25, No. 5, P68-73, Sept.-Oct. 86.

Bitumen — Rapid Analytical Characterization of Residues from Heavy Oil and Bitumen Upgrading Processes, by B.J. Fuhr, L.R. Holloway and C. Reichert, Vol. 25, No. 5, P28-32, Sept.-Oct. 86.

— Measurement of Asphaltene Flocculation in Bitumen Solutions, by C. Reichert, B.J. Fuhr and L.L. Klein, Vol. 25, No. 5, P33-37, Sept.-Oct. 86.

— Binary Interaction Coefficients of the Modified Soave-Redlich-Kwong Equation of State for Bitumen-containing Systems at In Situ Conditions, by Cheng-Tze Fu and Rao Puttagunta, Vol. 25, No. 5, P38-43, Sept.-Oct. 86.

— Effect of Temperature on Bitumen-water End Point Relative Permeabilities and Saturations, by M. Polikar, F. Ferracuti, V. DeCastro, V. Rao Puttagunta and S.M. Farouq Ali, Vol. 25, No. 5, P44-50, Sept.-Oct. 86.

— The Expansion of Tar Sands during Thermal Recovery, by R.M. Butler, Vol. 25, No. 5, P51-56, Sept.-Oct. 86.

Boon, J. — Modelling Silica Transport in Large-scale Laboratory Experiments, by T. Stone, J. Boon and G.W. Bird, Vol. 25, No. 1, P76-84, Jan.-Feb. 86.

Bottom Hole Pressure — Skin Factor and Flow Efficiency in Wells Producing under Solution Gas Drive, by T.E.W. Nind, Vol. 25, No. 4, P31-34, July-Aug. 86.

Bottom Water — Lessons from Eyehill, by R.G. Farquharson and R.W. Thornton, Vol. 25, No. 2, P47-53, Mar.-Apr. 86.

Bubble Point Pressure — A Laboratory Study of Heavy Oil Recovery with Carbon Dioxide, by K.N. Jha, Vol. 25, No. 2, P54-63, Mar.-Apr. 86.

Buckley-Leverett Theory — An Analysis of Buckley-Leverett Theory, by T.J.T. Spanos, V. de la Cruz, J. Hube and R.C. Sharma, Vol. 25, No. 1, P71-75, Jan.-Feb. 86.

Bulk-volume Water — Productivity Potential Indicator in Heavy Oil Reservoir, by B.I. Nickel, J.J. Edgson and E.J. Howes, Vol. 25, No. 6, P55-59, Nov.-Dec. 86.

Butler, R.M. — The Expansion of Tar Sands during Thermal Recovery, by R.M. Butler, Vol. 25, No. 5, P51-56, Sept.-Oct. 86.

C

Capillary Pressure — An Analysis of Buckley-Leverett Theory, by T.J.T. Spanos, V. de la Cruz, J. Hube and R.C. Sharma, Vol. 25, No. 1, P71-75, Jan.-Feb. 86.

Carbon Dioxide — Scaled Model Studies of Carbon Dioxide/Brine Injection Strategies for Heavy Oil Recovery from Thin Formations, by G. Rojas and S.M. Farouq Ali, Vol. 25, No. 1, P85-94, Jan.-Feb. 86.

— A Laboratory Study of Heavy Oil Recovery with Carbon Dioxide, by K.N. Jha, Vol. 25, No. 2, P54-63, Mar.-Apr. 86.

— Design Considerations for Carbon Dioxide Injection Facilities, by K.J. MacIntyre, Vol. 25, No. 2, P90-95, Mar.-Apr. 86.

Carr, Kobayashi and Burrows Correlations — A Mathematical Representation of the Carr, Kobayashi and Burrows Natural Gas Viscosity Correlations, by P.M. Dranchuk, M.R. Islam and R.G. Bentsen, Vol. 25, No. 1, P51-56, Jan.-Feb. 86.

Charles, J.G. — Unique Paraffin Inhibition Technique Reduces Well Maintenance, by J.G. Charles and R.P. Marcinew, Vol. 25, No. 4, P40-44, July-Aug. 86.

Chen, S.M. — Effect of Multiple-contact Miscibility on Solvent Slug Size Determination, by S.M. Chen, J. Olynyk and S. Asgarpour, Vol. 25, No. 3, P29-35, May-June 86.

Chromatography — Rapid Analytical Characterization of Residues from Heavy Oil and Bitumen Upgrading Processes, by B.J. Fuhr, L.R. Holloway and C. Reichert, Vol. 25, No. 5, P28-32, Sept.-Oct. 86.

jcpt

Concept-Author-Title INDEX

VOLUME 25, NUMBERS 1-6, 1986

A

Acid Numbers — Acid Numbers of Saskatchewan Heavy Oils, by R.J. Parker and E.S.N. Chung, Vol. 25, No. 4, P72-75, July-Aug. 86.

Air-water-bitumen Saturation — Thermal Property Measurements in Oil Sands, by J.D. Scott and A.C. Seto, Vol. 25, No. 6, P70-77, Nov.-Dec. 86.

Akhtar, N. — Offshore Topside Facilities Optimization, by J.I. Mockridge and N. Akhtar, Vol. 25, No. 4, P45-51, July-Aug. 86.

Ambrose, J.G. — Optimization of Petroleum Exploratory Wells Within a Basin, by J.G. Ambrose and S. Bandopadhyay, Vol. 25, No. 3, P66-72, May-June 86.

Aspargour, S. — Effect of Multiple-contact Miscibility on Solvent Slug Size Determination, by S.M. Chen, J. Olynyk and S. Asgarpour, Vol. 25, No. 3, P29-35, May-June 86.

B

Bandopadhyay, S. — Optimization of Petroleum Exploratory Wells Within a Basin, by J.G. Ambrose and S. Bandopadhyay, Vol. 25, No. 3, P66-72, May-June 86.

Batycky, J.P. — Hydrocarbon Solvent Design Using Miscible Equivalence, by J.P. Batycky, E.S. Vittoratos and R.S. Wu, Vol. 25, No. 3, P24-28, May-June 86.

— Miscible Displacement of Residual Oil—Effect of Wettability on Dispersion in Porous Media, by B.B. Maini, E. Ionescu and J.P. Batycky, Vol. 25, No. 3, P36-41, May-June 86.

— Enriched Gas Displacement: Design of Solvent Compositions, by R.S. Wu, J.P. Batycky, B. Harker and D. Rancier, Vol. 25, No. 3, P55-59, May-June 86.

Baxendale, D. — Offshore Reservoirs—a Different Engineering Approach is Required, by I. McIntosh and D. Baxendale, Vol. 25, No. 1, P28-38, Jan.-Feb. 86.

Bentsen, R.G. — A Dynamic Method for Measuring Relative Permeability, by M. Rafiqul Islam and R.G. Bentsen, Vol. 25, No. 1, P39-50, Jan.-Feb. 86.

— A Mathematical Representation of the Carr, Kobayashi and Burrows Natural Gas Viscosity Correlations, by P.M. Dranchuk, M.R. Islam and R.G. Bentsen, Vol. 25, No. 1, P51-56, Jan.-Feb. 86.

Binary Interaction Coefficient — Binary Interaction Coefficients of the Modified Soave-Redlich-Kwong Equation of State for Bitumen-Containing Systems at In Situ Conditions, by Cheng-Tze Fu and Rao Puttagunta, Vol. 25, No. 5, P38-43, Sept.-Oct. 86.

Bird, G.W. — Modelling Silica Transport in Large-scale Laboratory Experiments, by T. Stone, J. Boon and G.W. Bird, Vol. 25, No. 1, P76-84, Jan.-Feb. 86.

— Fluid/Pore-mineral Transformations during Simulated Steam Injection: Implications for Reduced Permeability Damage, by B.A. Hebner, G.W. Bird and F.J. Longstaffe, Vol. 25, No. 5, P68-73, Sept.-Oct. 86.

Bitumen — Rapid Analytical Characterization of Residues from Heavy Oil and Bitumen Upgrading Processes, by B.J. Fuhr, L.R. Holloway and C. Reichert, Vol. 25, No. 5, P28-32, Sept.-Oct. 86.

— Measurement of Asphaltene Flocculation in Bitumen Solutions, by C. Reichert, B.J. Fuhr and L.L. Klein, Vol. 25, No. 5, P33-37, Sept.-Oct. 86.

— Binary Interaction Coefficients of the Modified Soave-Redlich-Kwong Equation of State for Bitumen-containing Systems at In Situ Conditions, by Cheng-Tze Fu and Rao Puttagunta, Vol. 25, No. 5, P38-43, Sept.-Oct. 86.

— Effect of Temperature on Bitumen-water End Point Relative Permeabilities and Saturations, by M. Polikar, F. Ferracuti, V. DeCastro, V. Rao Puttagunta and S.M. Farouq Ali, Vol. 25, No. 5, P44-50, Sept.-Oct. 86.

— The Expansion of Tar Sands during Thermal Recovery, by R.M. Butler, Vol. 25, No. 5, P51-56, Sept.-Oct. 86.

Boon, J. — Modelling Silica Transport in Large-scale Laboratory Experiments, by T. Stone, J. Boon and G.W. Bird, Vol. 25, No. 1, P76-84, Jan.-Feb. 86.

Bottom Hole Pressure — Skin Factor and Flow Efficiency in Wells Producing under Solution Gas Drive, by T.E.W. Nind, Vol. 25, No. 4, P31-34, July-Aug. 86.

Bottom Water — Lessons from Eyehill, by R.G. Farquharson and R.W. Thornton, Vol. 25, No. 2, P47-53, Mar.-Apr. 86.

Bubble Point Pressure — A Laboratory Study of Heavy Oil Recovery with Carbon Dioxide, by K.N. Jha, Vol. 25, No. 2, P54-63, Mar.-Apr. 86.

Buckley-Leverett Theory — An Analysis of Buckley-Leverett Theory, by T.J.T. Spanos, V. de la Cruz, J. Hube and R.C. Sharma, Vol. 25, No. 1, P71-75, Jan.-Feb. 86.

Bulk-volume Water — Productivity Potential Indicator in Heavy Oil Reservoir, by B.I. Nickel, J.J. Edgson and E.J. Howes, Vol. 25, No. 6, P55-59, Nov.-Dec. 86.

Butler, R.M. — The Expansion of Tar Sands during Thermal Recovery, by R.M. Butler, Vol. 25, No. 5, P51-56, Sept.-Oct. 86.

C

Capillary Pressure — An Analysis of Buckley-Leverett Theory, by T.J.T. Spanos, V. de la Cruz, J. Hube and R.C. Sharma, Vol. 25, No. 1, P71-75, Jan.-Feb. 86.

Carbon Dioxide — Scaled Model Studies of Carbon Dioxide/Brine Injection Strategies for Heavy Oil Recovery from Thin Formations, by G. Rojas and S.M. Farouq Ali, Vol. 25, No. 1, P85-94, Jan.-Feb. 86.

— A Laboratory Study of Heavy Oil Recovery with Carbon Dioxide, by K.N. Jha, Vol. 25, No. 2, P54-63, Mar.-Apr. 86.

— Design Considerations for Carbon Dioxide Injection Facilities, by K.J. MacIntyre, Vol. 25, No. 2, P90-95, Mar.-Apr. 86.

Carr, Kobayashi and Burrows Correlations — A Mathematical Representation of the Carr, Kobayashi and Burrows Natural Gas Viscosity Correlations, by P.M. Dranchuk, M.R. Islam and R.G. Bentsen, Vol. 25, No. 1, P51-56, Jan.-Feb. 86.

Charles, J.G. — Unique Paraffin Inhibition Technique Reduces Well Maintenance, by J.G. Charles and R.P. Marcinew, Vol. 25, No. 4, P40-44, July-Aug. 86.

Chen, S.M. — Effect of Multiple-contact Miscibility on Solvent Slug Size Determination, by S.M. Chen, J. Olynyk and S. Asgarpour, Vol. 25, No. 3, P29-35, May-June 86.

Chromatography — Rapid Analytical Characterization of Residues from Heavy Oil and Bitumen Upgrading Processes, by B.J. Fuhr, L.R. Holloway and C. Reichert, Vol. 25, No. 5, P28-32, Sept.-Oct. 86.

Chung, E.S.N. — Acid Numbers of Saskatchewan Heavy Oils, by R.J. Parker and E.S.N. Chung, Vol. 25, No. 4, P72-75, July-Aug. 86.

Coke Formation — TGA/DSC Investigations of Saskatchewan Heavy Oils and Cores, by B. Verkoczy and K.N. Jha, Vol. 25, No. 3, P47-54, May-June 86.

Colonomos, P. — A New Approach for Characterizing Oil Fractions, and for Selecting Pseudo-components of Hydrocarbons, by E. Gonzalez, P. Colonomos and I. Rusinek, Vol. 25, No. 2, P78-84, Mar.-Apr. 86.

Completions — Improving Oilwell Stimulations with Compatible Oils, by B.R. Hassen, K.E. Porter and L.L. McCorriston, Vol. 25, No. 6, P32-38, Nov.-Dec. 86.

Compositional Simulators — Analytical Miscible Relative Permeability Curves and their Usage with Compositional and Pseudo-miscible Simulators, by M.S. Jankovic, Vol. 25, No. 4, P55-65, July-Aug. 86.

Computer Simulation — Optimization of Petroleum Exploratory Wells Within a Basin, by J.G. Ambrose and S. Bandopadhyay, Vol. 25, No. 3, P66-72, May-June 86.

— Sand Fracturing the Slave Point Carbonate, by R.G. Macdonald and J. Frank, Vol. 25, No. 6, P39-47, Nov.-Dec. 86.

Condensate Dehydration — Offshore Topside Facilities Optimization, by J.I. Mockridge and N. Akhtar, Vol. 25, No. 4, P45-51, July-Aug. 86.

Conductivity — Design and Analysis of a Fracture with Changing Conductivity, by M.Y. Soliman, Vol. 25, No. 5, P62-67, Sept.-Oct. 86.

Core Flooding — Miscible Displacement of Residual Oil—Effect of Wettability on Dispersion in Porous Media, by B.B. Maini, E. Ionescu and J.P. Batycky, Vol. 25, No. 3, P36-41, May-June 86.

Cuthiell, D.L. — Relative Permeabilities in Two-phase Flow Through Porous Media: an Application of Effective Medium Theory, by S. Levine and D.L. Cuthiell, Vol. 25, No. 5, P74-84, Sept.-Oct. 86.

Cyclic Steam Recovery — Interim Progress Report on Husky's Pikes Peak Steam Pilot, by K.A. Miller, Vol. 25, No. 2, P42-46, Mar.-Apr. 86.

Cyclic Steam Stimulation — Prospects of EOR Techniques in Saskatchewan Oil Reservoirs, by S.M. Farouq Ali, Vol. 25, No. 2, P64-67, Mar.-Apr. 86.

Czaja, L. — Benefits to the Canadian Economy from Wolf Lake Project, by L. Czaja, M. Kirkegaard, W. Haessel and G. Douglas, Vol. 25, No. 2, P89-94, Mar.-Apr. 86.

D

de la Cruz, V. — An Analysis of Buckley-Leverett Theory, by T.J.T. Spanos, V. de la Cruz, J. Hube and R.C. Sharma, Vol. 25, No. 1, P71-75, Jan.-Feb. 86.

DeCastro, V. — Effect of Temperature on Bitumen-water End Point Relative Permeabilities and Saturations, by M. Polikar, F. Ferracuti, V. DeCastro, V. Rao Puttagunta and S.M. Farouq Ali, Vol. 25, No. 5, P44-50, Sept.-Oct. 86.

Detection — Gas Detection in Upper Cretaceous Formations, by M.A. Woloschuk, W.P. Olson and A.L. Hamel, Vol. 25, No. 6, P48-54, Nov.-Dec. 86.

Diffusion — Effect of Multiple-contact Miscibility on Solvent Slug Size Determination, by S.M. Chen, J. Olynyk and S. Asgarpour, Vol. 25, No. 3, P29-35, May-June 86.

Directional Drilling — Interim Progress Report on Husky's Pikes Peak Steam Pilot, by K.A. Miller, Vol. 25, No. 2, P42-46, Mar.-Apr. 86.

— An On-site Method for Optimizing Oil Recovery during Drilling of Deviated and Off-target Wells at Norman Wells, by D.W. Heacock, Vol. 25, No. 3, P60-65, May-June 86.

Dispersion — Effect of Multiple-contact Miscibility on Solvent Slug Size Determination, by S.M. Chen, J. Olynyk and S. Asgarpour, Vol. 25, No. 3, P29-35, May-June 86.

Displacement — Hydrocarbon Solvent Design using Miscible Equivalence, by J.P. Batycky, E.S. Vittoratos and R.S. Wu, Vol. 25, No. 3, P24-28, May-June 86.

— Miscible Displacement of Residual Oil—Effect of Wettability on Dispersion in Porous Media, by B.B. Maini, E. Ionescu and J.P. Batycky, Vol. 25, No. 3, P36-41, May-June 86.

Displacement Mechanisms — A Dynamic Method for Measuring Relative Permeability, by M. Rafiqul Islam and R.G. Bentsen, Vol. 25, No. 1, P39-50, Jan.-Feb. 86.

Douglas, G. — Benefits to the Canadian Economy from Wolf Lake Project, by L. Czaja, M. Kirkegaard, W. Haessel and G. Douglas, Vol. 25, No. 2, P89-94, Mar.-Apr. 86.

Dranchuk, P.M. — A Mathematical Representation of the Carr, Kobayashi and Burrows Natural Gas Viscosity Correlations, by P.M. Dranchuk, M.R. Islam and R.G. Bentsen, Vol. 25, No. 1, P51-56, Jan.-Feb. 86.

E

Economics — Prospects for the Canadian Petroleum Industry, by B. Isautier, Vol. 25, No. 1, P95-98, Jan.-Feb. 86.

— Benefits to the Canadian Economy from Wolf Lake Project, by L. Czaja, M. Kirkegaard, W. Haessel and G. Douglas, Vol. 25, No. 2, P89-94, Mar-Apr. 86.

— Optimization of Petroleum Exploratory Wells Within a Basin, by J.G. Ambrose and S. Bandopadhyay, Vol. 25, No. 3, P66-72, May-June 86.

— Production Loans: One Bank's Approach, by G.R. Tomilson, Vol. 25, No. 5, P85-90, Sept.-Oct. 86.

Edgson, J.J. — Productivity Potential Indicator in Heavy Oil Reservoir, by B.I. Nickel, J.J. Edgson and E.J. Howes, Vol. 25, No. 6, P55-59, Nov.-Dec. 86.

Effective Medium Theory — Relative Permeabilities in Two-phase Flow Through Porous Media: an Application of Effective Medium Theory, by S. Levine and D.L. Cuthiell, Vol. 25, No. 5, P74-84, Sept.-Oct. 86.

Emulsion Treating — Lessons from Eyehill, by R.G. Farquharson and R.W. Thornton, Vol. 25, No. 2, P47-53, Mar.-Apr. 86.

— Acid Numbers of Saskatchewan Heavy Oils, by R.J. Parker and E.S.N. Chung, Vol. 25, No. 4, P72-75, July-Aug. 86.

Enhanced Oil Recovery — A Laboratory Study of Heavy Oil Recovery with Carbon Dioxide, by K.N. Jha, Vol. 25, No. 2, P54-63, Mar.-Apr. 86.

— Prospects of EOR Techniques in Saskatchewan Oil Reservoirs, by S.M. Farouq Ali, Vol. 25, No. 2, P64-67, Mar.-Apr. 86.

— Design Considerations for Carbon Dioxide Injection Facilities, by K.J. MacIntyre, Vol. 25, No. 2, P90-95, Mar.-Apr. 86.

— Hydrocarbon Solvent Design using Miscible Equivalence, by J.P. Batycky, E.S. Vittoratos and R.S. Wu, Vol. 25, No. 3, P24-28, May-June 86.

— Effect of Multiple-contact Miscibility on Solvent Slug Size Determination, by S.M. Chen, J. Olynyk and S. Asgarpour, Vol. 25, No. 3, P29-35, May-June 86.

— Miscible Displacement of Residual Oil—Effect of Wettability on Dispersion in Porous Media, by B.B. Maini, E. Ionescu and J.P. Batycky, Vol. 25, No. 3, P36-41, May-June 86.

— Retention of Foam-forming Surfactants at Elevated Temperatures, by J. Novosad, B.B. Maini and A. Huang, Vol. 25, No. 3, P42-46, May-June 86.

— TGA/DSC Investigations of Saskatchewan Heavy Oils and Cores, by B. Verkoczy and K.N. Jha, Vol. 25, No. 3, P47-54, May-June 86.

— Enriched Gas Displacement: Design of Solvent Compositions, by R.S. Wu, J.P. Batycky, B. Harker and D. Rancier, Vol. 25, No. 3, P55-59, May-June 86.

— An On-site Method for Optimizing Oil Recovery during Drilling of Deviated and Off-target Wells at Norman Wells, by D.W. Heacock, Vol. 25, No. 3, P60-65, May-June 86.

— The Expansion of Tar Sands during Thermal Recovery, by R.M. Butler, Vol. 25, No. 5, P51-56, Sept.-Oct. 86.

Equation-of-State — A New Approach for Characterizing Oil Fractions, and for Selecting Pseudo-components of Hydrocarbons, by E. Gonzalez, P. Colonomos and I. Rusinek, Vol. 25, No. 2, P78-84, Mar.-Apr. 86.

— Hydrocarbon Solvent Design using Miscible Equivalence, by J.P. Batcycky, E.S. Vittoratos and R.S. Wu, Vol. 25, No. 3, P24-28, May-June 86.

— Binary Interaction Coefficients of the Modified Soave-Redlich-Kwong Equation-of-State for Bitumen-containing Systems at In Situ Conditions, by Cheng-Tze Fu and Rao Puttagunta, Vol. 25, No. 5, P38-43, Sept.-Oct. 86.

Exploration Drilling — Optimization of Petroleum Exploratory Wells Within a Basin, by J.G. Ambrose and S. Bandopadhyay, Vol. 25, No. 3, P66-72, May-June 86.

Eyehill — Lessons from Eyehill, by R.G. Farquharson and R.W. Thornton, Vol. 25, No. 2, P47-53, Mar.-Apr. 86.

F

Farouq Ali, S.M. — Scaled Model Studies of Carbon Dioxide/Brine Injection Strategies for Heavy Oil Recovery from Thin

Formations, by G. Rojas and S.M. Farouq Ali, Vol. 25, No. 1, P85-94, Jan.-Feb. 86.
— Prospects of EOR Techniques in Saskatchewan Oil Reservoirs, by S.M. Farouq Ali, Vol. 25, No. 2, P64-72, Mar.-Apr. 86.
— Effect of Temperature on Bitumen-water End Point Relative Permeabilities and Saturations, by M. Polikar, F. Ferracuti, V. DeCastro, V. Rao Puttagunta and S.M. Farouq Ali, Vol. 25, No. 5, P44-50, Sept.-Oct. 86.
Farquharson, R.G. — Lessons from Eyehill, by R.G. Farquharson and R.W. Thornton, Vol. 25, No. 2, P47-53, Mar.-Apr. 86.
Ferracuti, F. — Effect of Temperature on Bitumen-water End Point Relative Permeabilities and Saturations, by M. Polikar, F. Ferracuti, V. Decastro, V. Rao Puttagunta and S.M. Farouq Ali, Vol. 25, No. 5, P44-50, Sept.-Oct. 86.
Fireflood — Acid Numbers of Saskatchewan Heavy Oils, by R.J. Parker and E.S.N. Chung, Vol. 25, No. 4, P72-75, July-Aug. 86.
Flocculation — Measurement of Asphaltene Flocculation in Bitumen Solutions, by C. Reichert, B.J. Fuhr and L.L. Klein, Vol. 25, No. 5, P33-37, Sept.-Oct. 86.
Flock, D.L. — The Effect of Temperature on the Intefacial Tension of Heavy Crude Oils using the Pendent Drop Apparatus, by D.L. Flock, T.H. Le and J.P. Gibeau, Vol. 25, No. 2, P72-77, Mar-Apr. 86.
Flooding — Hydrocarbon Solvent Design using Miscible Equivalence, by J.P. Batycky, E.S. Vittoratos and R.S. Wu, Vol. 25, No. 3, P24-28, May-June 86.
Flow Efficiency — Skin Factor and Flow Efficiency in Wells Producing under Solution Gas Drive, by T.E.W. Nind, Vol. 25, No. 4, P31-34, July-Aug. 86.
Flow Models — Relative Permeabilities in Two-phase Flow Through Porous Media: an Application of Effective Medium Theory, by S. Levine and D.L. Cuthiell, Vol. 25, No. 5, P74-84, Sept.-Oct. 86.
Foam Stability — Laboratory Evaluation of Foaming Agents for High-Temperature Applications—1. Measurements of Foam Stability at Elevated Temperatures and Pressures, by B.B. Maini and V. Ma, Vol. 25, No. 6, P65-69, Nov.-Dec. 86.
Foaming Agents — Laboratory Evaluation of Foaming Agents for High-Temperature Applications—1. Measurements of Foam Stability at Elevated Temperatures and Pressures, by B.B. Maini and V. Ma, Vol. 25, No. 6, P65-69, Nov.-Dec. 86.
Formation Damage -- Improving Oilwell Stimulations with Compatible Oils, by B.R. Hassen, K.E. Porter and L.L. McCorriston, Vol. 25, No. 6, P32-38, Nov.-Dec. 86.
Fracturing — Simulation of the Saner Ranch Fracture-assisted Steamflood Pilot, by Y. Soni and R.A. Harmon, Vol. 25, No. 1, P57-70, Jan.-Feb. 86.
— The Expansion of Tar Sands during Thermal Recovery, by R.M. Butler, Vol. 25, No. 5, P51-56, Sept.-Oct. 86.
— Design and Analysis of a Fracture with Changing Conductivity, by M.Y. Soliman, Vol. 25, No. 5, P62-67, Sept.-Oct. 86.
Frank J. — Sand Fracturing the Slave Point Carbonate, by R.G. Macdonald and J. Frank, Vol. 25, No. 6, P39-47, Nov.-Dec. 86.
Fu, C-T. — Binary Interaction Coefficients of the Modified Soave-Redlich-Kwong Equation of State for Bitumen-containing Systems at In Situ Conditions, by Cheng-Tze Fu and Rao Puttagunta, Vol. 25, No. 5, P38-43, Sept.-Oct. 86.
Fuhr, B.J. — Rapid Analytical Characterization of Residues from Heavy Oil and Bitumen Upgrading Processes, by B.J. Fuhr, L.R. Holloway and C. Reichert, Vol. 25, No. 5, P28-32, Sept.-Oct. 86.
— Measurement of Asphaltene Flocculation in Bitumen Solutions, by C. Reichert, B.J. Fuhr and L.L. Klein, Vol. 25, No. 5, P33-37, Sept.-Oct. 86.

G

Gas Dehydration — Offshore Topside Facilities Optimization, by J.I. Mockridge and N. Akhtar, Vol. 25, No. 4, P45-51, July-Aug. 86.
Gas Injection — Laboratory Evaluation of Foaming Agents for High-Temperature Applications—1. Measurements of Foam Stability at Elevated Temperatures and Pressures, by B.B. Maini and V. Ma, Vol. 25, No. 6, P65-69, Nov.-Dec. 86.
Gibeau, J.P. — The Effect of Temperature on the Interfacial Tension of Heavy Crude Oils using the Pendent Drop Apparatus, by D.L. Flock, T.H. Le and J.P. Gibeau, Vol. 25, No. 2, P72-77, Mar.-Apr. 86.
Giesbrecht, P. — Miscible Flood—Field Facility Design, by K. Verma and P. Giesbrecht, Vol. 25, No. 4, P35-40, July-Aug. 86.
Gonzalez, E. — A New Approach for Characterizing Oil Fractions, and for Selecting Pseudo-components of Hydrocarbons, by E. Gonzalez, P. Colonomos and I. Rusinek, Vol. 25, No. 2, P78-84, Mar.-Apr. 86.

H

Haesell, W. — Benefits to the Canadian Economy from Wolf Lake Project, by L. Czaja, M. Kirkegaard, W. Haessel and G. Douglas, Vol. 25, No. 2, P89-94, Mar.-Apr. 86.
Hamel, A.L. — Gas Detection in Upper Cretaceous Formations, by M.A. Woloschuk, W.P. Olson and A.L. Hamel, Vol. 25, No. 6, P48-54, Nov.-Dec. 86.
Harker, B. — Enriched Gas Displacement: Design of Solvent Compositions, by R.S. Wu, J.P. Batycky, B. Harker and D. Rancier, Vol. 25, No. 3, P55-59, May-June 86.
Harmon, R.A. — Simulation of the Saner Ranch Fracture-assisted Steamflood Pilot, by Y. Soni and R.A. Harmon, Vol. 25, No. 1, P57-70, Jan.-Feb. 86.
Hassen, B.R. — Improving Oilwell Stimulations with Compatible Oils, by B.R. Hassen, K.E. Porter and L.L. McCorriston, Vol. 25, No. 6, P32-38, Nov.-Dec. 86.
Heacock, D.W. — An On-site Method for Optimizing Oil Recovery during Drilling of Deviated and Off-target Wells at Norman Wells, by D.W. Heacock, Vol. 25, No. 3, P60-65, May-June 86.
Hebner, B.A. — Fluid/Pore-mineral Transformations during Simulated Steam Injection: Implications for Reduced Permeability Damage, by B.A. Hebner, G.W. Bird and F.J. Longstaffe, Vol. 25, No. 5, P68-73, Sept.-Oct. 86.
Heavy Oil — Scaled Model Studies of Carbon Dioxide/Brine Injection Strategies for Heavy Oil Recovery from Thin Formations, by G. Rojas and S.M. Farouq Ali, Vol. 25, No. 1, P85-94, Jan.-Feb. 86.
— A Laboratory Study of Heavy Oil Recovery with Carbon Dioxide, by K.N. Jha, Vol. 25, No. 2, P54-63, Mar.-Apr. 86.
— Prospects of EOR Techniques in Saskatchewan Oil Reservoirs, by S.M. Farouq Ali, Vol. 25, No. 2, P64-67, Mar.-Apr. 86.
— Heavy Oil Transportation—Present and Future, by R.D. Urquhart, Vol. 25, No. 2, P68-71, Mar.-Apr. 86.
— The Effect of Temperature on the Interfacial Tension of Heavy Crude Oils using the Pendent Drop Apparatus, by D.L. Flock, T.H. Le and J.P. Gibeau, Vol. 25, No. 2, P72-77, Mar.-Apr. 86.
— Design Considerations for Carbon Dioxide Injection Facilities, by K.J. MacIntyre, Vol. 25, No. 2, P90-95, Mar.-Apr. 86.
— TGA/DSC Investigations of Saskatchewan Heavy Oils and Cores, by B. Verkoczy and K.N. Jha, Vol. 25, No. 3, P47-54, May-June 86.
— Alteration of Heavy Oil Characteristics during Thermal Recovery, by V.N. Venkatesan and W.R. Shu, Vol. 25, No. 4, P66-71, July-Aug. 86.
— Acid Numbers of Saskatchewan Heavy Oils, by R.J. Parker and E.S.N. Chung, Vol. 25, No. 4, P72-75, July-Aug. 86.
— Rapid Analytical Characterization of Residues from Heavy Oil and Bitumen Upgrading Processes, by B.J. Fuhr, L.R. Holloway and C. Reichert, Vol. 25, No. 5, P28-32, Sept.-Oct. 86.
— Measurement of Asphaltene Flocculation in Bitumen Solutions, by C. Reichert, B.J. Fuhr and L.L. Klein, Vol. 25, No. 5, P33-37, Sept.-Oct. 86.
— Binary Interaction Coefficients of the Modified Soave-Redlich-Kwong Equation of State for Bitumen-containing Systems at In Situ Conditions, by Cheng-Tze Fu and Rao Puttagunta, Vol. 25, No. 5, P38-43, Sept.-Oct. 86.
— Effect of Temperature on Bitumen-water End Point Relative Permeabilities and Saturations, by M. Polikar, F. Ferracuti, V. DeCastro, V. Rao Puttagunta and S.M. Farouq Ali, Vol. 25, No. 5, P44-50, Sept.-Oct. 86.
— The Expansion of Tar Sands during Thermal Recovery, by R.M. Butler, Vol. 25, No. 5, P51-56, Sept.-Oct. 86.
— Calculating the Pseudo-skin Factor due to Partial Well Completion, by J. Vrbik, Vol. 25, No. 5, P57-61, Sept.-Oct. 86.
— Fluid/Pore-mineral Transformations during Simulated Steam Injection: Implications for Reduced Permeability Damage, by B.A. Hebner, G.W. Bird and F.J. Longstaffe, Vol. 25, No. 5, P68-73, Sept.-Oct. 86.
— Relative Permeabilities in Two-phase Flow Through Porous Media: an Application of Effective Medium Theory, by S. Levine and D.L. Cuthiell, Vol. 25, No. 5, P74-84, Sept.-Oct. 86.
— Productivity Potential Indicator in Heavy Oil Reservoir, by

B.I. Nickel, J.J. Edgson and E.J. Howes, Vol. 25, No. 6, P55-59, Nov.-Dec. 86.

Holloway, L.R. — Rapid Analytical Characterization of Residues from Heavy Oil and Bitumen Upgrading Processes, by B.J. Fuhr, L.R. Holloway and C. Reichert, Vol. 25, No. 5, P28-32, Sept.-Oct. 86.

Howes, E.J. — Productivity Potential Indicator in Heavy Oil Reservoir, by B.I. Nickel, J.J. Edgson and E.J. Howes, Vol. 25, No. 6, P55-59, Nov.-Dec. 86.

Huang, A. — Retention of Foam-forming Surfactants at Elevated Temperatures, by J. Novosad, B.B. Maini and A. Huang, Vol. 25, No. 3, P42-46, May-June 86.

Hube, J. — An Analysis of Buckley-Leverett Theory, by T.J.T. Spanos, V. de la Cruz, J. Hube and R.C. Sharma, Vol. 25, No. 1, P71-75, Jan.-Feb. 86.

Husky Oil — Interim Progress Report on Husky's Pikes Peak Steam Pilot, by K.A. Miller, Vol. 25, No. 2, P42-46, Mar.-Apr. 86.

Hydration — Hydrate Formation and Inhibition in Gas or Gas Condensate Streams, by D.B. Robinson and H.-J. Ng, Vol. 25, No. 4, P26-30, July-Aug. 86.

Hydraulic Fracturing — Improving Oilwell Stimulations with Compatible Oils, by B.R. Hassen, K.E. Porter and L.L. McCorriston, Vol. 25, No. 6, P32-38, Nov.-Dec. 86.

— Sand Fracturing the Slave Point Carbonate, by R.G. Macdonald and J. Frank, Vol. 25, No. 6, P39-47, Nov.-Dec. 86.

Hydrocarbon Accumulation — Optimization of Petroleum Exploratory Wells Within a Basin, by J.G. Ambrose and S. Bandopadhyay, Vol. 25, No. 3, P66-72, May-June 86.

Hydrocarbon Miscible Flooding — Enriched Gas Displacement: Design of Solvent Compositions, by R.S. Wu, J.P. Batycky, B. Harker and D. Rancier, Vol. 25, No. 3, P55-59, May-June 86.

Hydrocarbons — The Effect of Temperature on the Interfacial Tension of Heavy Crude Oils using the Pendent Drop Apparatus, by D.L. Flock, T.H. Le and J.P. Gibeau, Vol. 25, No. 2, P72-77, Mar.-Apr. 86.

— A New Approach for Characterizing Oil Fractions, and for Selecting Pseudo-components of Hydrocarbons, by E. Gonzalez, P. Colonomos and I. Rusinek, Vol. 25, No. 2, P78-84, Mar.-Apr. 86.

— Hydrocarbon Solvent Design using Miscible Equivalence, by J.P. Batycky, E.S. Vittoratos and R.S. Wu, Vol. 25, No. 3, P24-28, May-June 86.

Hydrogen Index — Gas Detection in Upper Cretaceous Formations, by M.A. Woloschuk, W.P. Olson and A.L. Hamel, Vol. 25, No. 6, P48-54, Nov.-Dec. 86.

Hydrogen Sulphide — Lessons from Eyehill, by R.G. Farquharson and R.W. Thornton, Vol. 25, No. 2, P47-53, Mar.-Apr. 86.

Hydrothermal Transformation — Fluid/Pore-mineral Transformations during Simulated Steam Injection: Implications for Reduced Permeability Damage, by B.A. Hebner, G.W. Bird and F.J. Longstaffe, Vol. 25, No. 5, P68-73, Sept.-Oct. 86.

I

Injection System — Miscible Flood—Field Facility Design, by K. Verma and P. Giesbrecht, Vol. 25, No. 4, P35-40, July-Aug. 86.

In-Situ Combustion — Lessons from Eyehill, by R.G. Farquharson and R.W. Thornton, Vol. 25, No. 2, P47-53, Mar.-Apr. 86.

Ionescu, E. — Miscible Displacement of Residual Oil—Effect of Wettability on Dispersion in Porous Media, by B.B. Maini, E. Ionescu and J.P. Batycky, Vol. 25, No. 3, P36-41, May-June 86.

Isautier, B. — Prospects for the Canadian Petroleum Industry, by B. Isautier, Vol. 25, No. 1, P95-98, Jan.-Feb. 86.

Islam, M.R. — A Mathematical Representation of the Carr, Kobayashi and Burrows Natural Gas Viscosity Correlations, by P.M. Dranchuk, M.R. Islam and R.G. Bentsen, Vol. 25, No. 1, P51-56, Jan.-Feb. 86.

J

Jankovic, M.S. — Analytical Miscible Relative Permeability Curves and their Usage with Compositional and Pseudo-miscible Simulators, by M.S. Jankovic, Vol. 25, No. 4, P55-65, July-Aug. 86.

Jha, K.N. — A Laboratory Study of Heavy Oil Recovery with Carbon Dioxide, by K.N. Jha, Vol. 25, No. 2, P54-63, Mar.-Apr. 86.

— TGA/DSC Investigations of Saskatchewan Heavy Oils and Cores, by B. Verkoczy and K.N. Jha, Vol. 25, No. 3, P47-54, May-June 86.

K

Kirkegaard, M. — Benefits to the Canadian Economy from Wolf Lake Project, by L. Czaja, M. Kirkegaard, W. Haessel and G. Douglas, Vol. 25, No. 2, P89-94, Mar.-Apr. 86.

Klein, L.L. — Measurement of Asphaltene Flocculation in Bitumen Solutions, by C. Reichert, B.J. Fuhr and L.L. Klein, Vol. 25, No. 5, P33-37, Sept.-Oct. 86.

Kokal, S. — An Analysis of Two-phase Flow in Inclined Pipes with Zero Net Liquid Production, by S. Kokal and J.F. Stanislav, Vol. 25, No. 6, P60-64, Nov.-Dec. 86.

L

Le, T.H. — The Effect of Temperature on the Interfacial Tension of Heavy Crude Oils using the Pendent Drop Apparatus, by D.L. Flock, T.H. Le and J.P. Gibeau, Vol. 25, No. 2, P72-77, Mar.-Apr. 86.

Levine S. — Relative Permeabilities in Two-phase Flow Through Porous Media: an Application of Effective Medium Theory, by S. Levine and D.L. Cuthiell, Vol. 25, No. 5, P74-84, Sept.-Oct. 86.

Light Crude — Heavy Oil Transportation—Present and Future, by R.D. Urquhart, Vol. 25, No. 2, P68-71, Mar.-Apr. 86.

Longstaffe, F.J. — Fluid/Pore-mineral Transformations during Simulated Steam Injection: Implications for Reduced Permeability Damage, by B.A. Hebner, G.W. Bird and F.J. Longstaffe, Vol. 25, No. 5, P68-73, Sept.-Oct. 86.

M

Ma, V. — Laboratory Evaluation of Foaming Agents for High-Temperature Applications—1. Measurements of Foam Stability at Elevated Temperatures and Pressures, by B.B. Maini and V. Ma, Vol. 25, No. 6, P65-69, Nov.-Dec. 86.

Macdonald, R.G. — Sand Fracturing the Slave Point Carbonate, by R.G. Macdonald and J. Frank, Vol. 25, No. 6, P39-47, Nov.-Dec. 86.

MacIntyre, K.J. — Design Considerations for Carbon Dioxide Injection Facilities, by K.J. MacIntyre, Vol. 25, No. 2, P90-95, Mar.-Apr. 86.

Maini, B.B. — Miscible Displacement of Residual Oil—Effect of Wettability on Dispersion in Porous Media, by B.B. Maini, E. Ionescu and J.P. Batycky, Vol. 25, No. 3, P36-41, May-June 86.

— Retention of Foam-forming Surfactants at Elevated Temperatures, by J. Novosad, B.B. Maini and A. Huang, Vol. 25, No. 3, P42-46, May-June 86.

— Laboratory Evaluation of Foaming Agents for High-Temperature Applications—1. Measurements of Foam Stability at Elevated Temperatures and Pressure, by B.B. Maini and V. Ma, Vol. 25, No. 6, P65-69, Nov.-Dec. 86.

Marcinew, R.P. — Unique Paraffin Inhibition Technique Reduces Well Maintenance, by J.G. Charles and R.P. Marcinew, Vol. 25, No. 4, P40-44, July-Aug. 86.

McCorriston, L.L. — Improving Oilwell Stimulations with Compatible Oils, by B.R. Hassen, K.E. Porter and L.L. McCorriston, Vol. 25, No. 6, P32-38, Nov.-Dec. 86.

McIntosh, I. — Offshore Reservoirs—a Different Engineering Approach is Required, by I. McIntosh and D. Baxendale, Vol. 25, No. 1, P28-38, Jan.-Feb. 86.

Methanol Solutions — Hydrate Formation and Inhibition in Gas or Gas Condensate Streams, by D.B. Robinson and H.-J. Ng, Vol. 25, No. 4, P26-30, July-Aug. 86.

Miller, K.A. — Interim Progress Report on Husky's Pikes Peak Steam Pilot, by K.A. Miller, Vol. 25, No. 2, P42-46, Mar.-Apr. 86.

Miscible — Hydrocarbon Solvent Design using Miscible Equivalence, by J.P. Batycky, E.S. Vittoratos and R.S. Wu, Vol. 25, No. 3, P24-28, May-June 86.

Miscible Displacement — Miscible Displacement of Residual Oil—Effect of Wettability on Dispersion in Porous Media, by B.B. Maini, E. Ionescu and J.P. Batycky, Vol. 25, No. 3, P36-41, May-June 86.

— Analytical Miscible Relative Permeability Curves and their Usage with Compositional and Pseudo-miscible Simulators, by M.S. Jankovic, Vol. 25, No. 4, P55-65, July-Aug. 86.

Miscible Flood — Miscible Flood—Field Facility Design, by K. Verma and P. Giesbrecht, Vol. 25, No. 4, P35-40, July-Aug. 86.

Mockridge, J.I. — Offshore Topside Facilities Optimization, by J.I. Mockridge and N. Akhtar, Vol. 25, No. 4, P45-51, July-Aug. 86.
Modelling — Modelling Silica Transport in Large-scale Laboratory Experiments, by T. Stone, J. Boon and G.W. Bird, Vol. 25, No. 1, P76-84, Jan.-Feb. 86.
— Scaled Model Studies of Carbon Dioxide/Brine Injection Strategies for Heavy Oil Recovery from Thin Formations, by G. Rojas and S.M. Farouq Ali, Vol. 25, No. 1, P85-94, Jan.-Feb. 86.
Module Fabrication — Modularization Concepts for the Norman Wells Expansion Project, by J.M. Smith, Vol. 25, No. 4, P52-54, July-Aug. 86.
Module Transportation — Modularization Concepts for the Norman Wells Expansion Project, by J.M. Smith, Vol. 25, No. 4, P52-54, July-Aug. 86.
Multiphase Flow — An Analysis of Buckley-Leverett Theory, by T.J.T. Spanos, V. de la Cruz, J. Hube and R.C. Sharma, Vol. 25, No. 1, P71-75, Jan.-Feb. 86.

N

Natural Gas — A Mathematical Representation of the Carr, Kobayashi and Burrows Natural Gas Viscosity Correlations, by P.M. Dranchuk, M.R. Islam and R.G. Bentsen, Vol. 25, No. 1, P51-56, Jan.-Feb. 86.
Ng, H-J. — Hydrate Formation and Inhibition in Gas or Gas Condensate Streams, by D.B. Robinson and H-J. Ng, Vol. 25, No. 4, P26-30, July-Aug. 86.
Nickel, B.I. — Productivity Potential Indicator in Heavy Oil Reservoir, by B.I. Nickel, J.J. Edgson and E.J. Howes, Vol. 25, No. 6, P55-59, Nov.-Dec. 86.
Nind, T.E.W. — Skin Factor and Flow Efficiency in Wells Producing under Solution Gas Drive, by T.E.W. Nind, Vol. 25, No. 4, P31-34, July-Aug. 86.
Norman Wells — An On-site Method for Optimizing Oil Recovery during Drilling of Deviated and Off-target Wells at Norman Wells, by D.W. Heacock, Vol. 25, No. 3, P60-65, May-June 86.
— Modularization Concepts for the Norman Wells Expansion Project, by J.M. Smith, Vol. 25, No. 4, P52-54, July-Aug. 86.
Novosad, J. — Retention of Foam-forming Surfactants at Elevated Temperatures, by J. Novosad, B.B. Maini and A. Huang, Vol. 25, No. 3, P42-46, May-June 86.
Numerical Simulation — Simulation of the Saner Ranch Fracture-Assisted Steamflood Pilot, by Y. Soni and R.A. Harmon, Vol. 25, No. 1, P57-70, Jan.-Feb. 86.

O

Offshore — Offshore Topside Facilities Optimization, by J.I. Mockridge and N. Akhtar, Vol. 25, No. 4, P45-51, July-Aug. 86.
Offshore Development — Offshore Reservoirs—a Different Engineering Approach is Required, by I. McIntosh and D. Baxendale, Vol. 25, No. 1, P28-38, Jan.-Feb. 86.
Oil Sands — Design Considerations for Carbon Dioxide Injection Facilities, by K.J. MacIntyre, Vol. 25, No. 2, P90-95, Mar.-Apr. 86.
— Calculating the Pseudo-skin Factor due to Partial Well Completion, by Jan Vrbik, Vol. 25, No. 5, P57-61, Sept.-Oct. 86.
— Fluid/Pore-mineral Transformations during Simulated Steam Injection: Implications for Reduced Permeability Damage, by B.A. Hebner, G.W. Bird and F.J. Longstaffe, Vol. 25, No. 5, P68-73, Sept.-Oct. 86.
— Relative Permeabilities in Two-phase Flow Through Porous Media: an Application of Effective Medium Theory, by S. Levine and D.L. Cuthiell, Vol. 25, No. 5, P74-84, Sept.-Oct. 86.
Oil-in-water Emulsions — Heavy Oil Transportation—Present and Future, by R.D. Urquhart, Vol. 25, No. 2, P68-71, Mar.-Apr. 86.
Olson, W.P. — Gas Detection in Upper Cretaceous Formations, by M.A. Woloschuk, W.P. Olson and A.L. Hamel, Vol. 25, No. 6, P48-54, Nov.-Dec. 86.
Olynyk, J. — Effect of Multiple-contact Miscibility on Solvent Slug Size Determination, by S.M. Chen, J. Olynyk and S. Asgarpour, Vol. 25, No. 3, P29-35, May-June 86.
Optimization — A New Approach for Characterizing Oil Fractions, and for Selecting Pseudo-components of Hydrocarbons, by E. Gonzalez, P. Colonomos and I. Rusinek, Vol. 25, No. 2, P78-84, Mar.-Apr. 86.
— Optimization of Petroleum Exploratory Wells Within a Basin, by J.G. Ambrose and S. Bandopadhyay, Vol. 25, No. 3, P66-72, May-June 86.
— Offshore Topside Facilities Optimization, by J.I. Mockridge and N. Akhtar, Vol. 25, No. 4, P45-51, July-Aug. 86.

P

Paraffin Removal — Unique Paraffin Inhibition Technique Reduces Well Maintenance, by J.G. Charles and R.P. Marcinew, Vol. 25, No. 4, P40-44, July-Aug. 86.
Parker, R.J. — Acid Numbers of Saskatchewan Heavy Oils, by R.J. Parker and E.S.N. Chung, Vol. 25, No. 4, P72-75, July-Aug. 86.
Pendent Drop Technique — The Effect of Temperature on the Interfacial Tension of Heavy Crude Oils using the Pendent Drop Apparatus, by D.L. Flock, T.H. Le and J.P. Gibeau, Vol. 25, No. 2, P72-77, Mar.-Apr. 86.
Permeability — Productivity Potential Indicator in Heavy Oil Reservoir, by B.I. Nickel, J.J. Edgson and E.J. Howes, Vol. 25, No. 6, P55-59, Nov.-Dec. 86.
Petroleum Industry — Prospects for the Canadian Petroleum Industry, by B. Isautier, Vol. 25, No. 1, P95-98, Jan.-Feb. 86.
— Production Loans: One Bank's Approach, by G.R. Tomilson, Vol. 25, No. 5, P85-90, Sept.-Oct. 86.
Phase Behaviour — Enriched Gas Displacement: Design of Solvent Compositions, by R.S. Wu, J.P. Batycky, B. Harker and D. Rancier, Vol. 25, No. 3, P55-59, May-June 86.
Pikes Peak Steam Pilot — Interim Progress Report on Husky's Pikes Peak Steam Pilot, by K.A. Miller, Vol. 25, No. 2, P42-46, Mar.-Apr. 86.
Pipeline Systems — Heavy Oil Transportation—Present and Future, by R.D. Urquhart, Vol. 25, No. 2, P68-71, Mar.-Apr. 86.
Polikar, M. — Effect of Temperature on Bitumen-water End Point Relative Permeabilities and Saturations, by M. Polikar, F. Ferracuti, V. DeCastro, V. Rao Puttagunta and S.M. Farouq Ali, Vol. 25, No. 5, P44-50, Sept.-Oct. 86.
Porous Media — An Analysis of Buckley-Leverett Theory, by T.J.T. Spanos, V. de la Cruz, J. Hube and R.C. Sharma, Vol. 25, No. 1, P71-75, Jan.-Feb. 86.
— Relative Permeabilities in Two-Phase Flow Through Porous Media: an Application of Effective Medium Theory, by S. Levine and D.L. Cuthiell, Vol. 25, No. 5, P74-84, Sept.-Oct. 86.
Porter, K.E. — Improving Oilwell Stimulations with Compatible Oils, by B.R. Hassen, K.E. Porter and L.L. McCorriston, Vol. 25, No. 6, P32-38, Nov.-Dec. 86.
Pressure Gradient — An Analysis of Two-phase Flow in Inclined Pipes with Zero Net Liquid Production, by S. Kokal and J.F. Stanislav, Vol. 25, No. 6, P60-64, Nov.-Dec. 86.
Pressure Testing — Miscible Flood—Field Facility Design, by K. Verma and P. Giesbrecht, Vol. 25, No. 4, P35-40, July-Aug. 86.
Production — Hydrate Formation and Inhibition in Gas or Gas Condensate Streams, by D.B. Robinson and H-J. Ng, Vol. 25, No. 4, P26-30, July-Aug. 86.
— Skin Factor and Flow Efficiency in Wells Producing under Solution Gas Drive, by T.E.W. Nind, Vol. 25, No. 4, P31-34, July-Aug. 86.
— Miscible Flood—Field Facility Design, by K. Verma and P. Giesbrecht, Vol. 25, No. 4, P35-40, July-Aug. 86.
— Unique Paraffin Inhibition Technique Reduces Well Maintenance, by J.G. Charles and R.P. Marcinew, Vol. 25, No. 4, P40-44, July-Aug. 86.
— Offshore Topside Facilities Optimization, by J.I. Mockridge and N. Akhtar, Vol. 25, No. 4, P45-51, July-Aug. 86.
— Modularization Concepts for the Norman Wells Expansion Project, by J.M. Smith, Vol. 25, No. 4, P52-54, July-Aug. 86.
— Productivity Potential Indicator in Heavy Oil Reservoir, by B.I. Nickel, J.J. Edgson and E.J. Howes, Vol. 25, No. 6, P55-59, Nov.-Dec. 86.
Pseudo-skin Factor — Calculating the Pseudo-skin Factor due to Partial Well Completion, by J. Vrbik, Vol. 25, No. 5, P57-62, Sept.-Oct. 86.
Puttagunta, V.R. — Binary Interaction Coefficients of the Modified Soave-Redlich-Kwong Equation of State for Bitumen-containing Systems at In Situ Conditions, by Cheng-Tze Fu and V. Rao Puttagunta, Vol. 25, No. 5, P38-43, Sept.-Oct. 86.
— Effect of Temperature on Bitumen-water End Point Relative Permeabilities and Saturations, by M. Polikar, F. Ferracuti, V. DeCastro, V. Rao Puttagunta and S.M. Farouq Ali, Vol. 25, No. 5, P44-50, Sept.-Oct. 86.

R

Rafiqul Islam, M. — A Dynamic Method for Measuring Relative Permeability, by M. Rafiqul Islam and R.G. Bentsen, Vol. 25, No. 1, P39-50, Jan.-Feb. 86.

Rancier, D. — Enriched Gas Displacement: Design of Solvent Compositions, by R.S. Wu, J.P. Batycky, B. Harker and D. Rancier, Vol. 25, No. 3, P55-59, May-June 86.

Reichert, C. — Rapid Analytical Characterization of Residues from Heavy Oil and Bitumen Upgrading Processes, by B.J. Fuhr, L.R. Holloway and C. Reichert, Vol. 25, No. 5, P28-32, Sept.-Oct. 86.

— Measurement of Asphaltene Flocculation in Bitumen Solutions, by C. Reichert, B.J. Fuhr and L.L. Klein, Vol. 25, No. 5, P33-37, Sept.-Oct. 86.

Relative Permeability — A Dynamic Method for Measuring Relative Permeability, by M. Rafiqul Islam and R.G. Bentsen, Vol. 25, No. 1, P39-50, Jan.-Feb. 86.

— Analytical Miscible Relative Permeability Curves and their Usage with Compositional and Pseudo-miscible Simulators, by M.S. Jankovic, Vol. 25, No. 4, P55-65, July-Aug. 86.

— Effect of Temperature on Bitumen-water End Point Relative Permeabilities and Saturations, by M. Polikar, F. Ferracuti, V. DeCastro, V. Rao Puttagunta and S.M. Farouq Ali, Vol. 25, No. 5, P44-50, Sept.-Oct. 86.

— Relative Permeabilities in Two-phase Flow Through Porous Media: an Application of Effective Medium Theory, by S. Levine and D.L. Cuthiell, Vol. 25, No. 5, P74-84, Sept.-Oct. 86.

Reservoir Engineering — Offshore Reservoirs—a Different Engineering Approach is Required, by I. MacIntosh and D. Baxendale, Vol. 25, No. 1, P28-38, Jan.-Feb. 86.

— A Dynamic Method for Measuring Relative Permeability, by M. Rafiqul Islam and R.G. Bentsen, Vol. 25, No. 1, P39-50, Jan.-Feb. 86.

— A Mathematical Representation of the Carr, Kobayashi and Burrows Natural Gas Viscosity Correlations, by P.M. Dranchuk, M.R. Islam and R.G. Bentsen, Vol. 25, No. 1, P51-56, Jan.-Feb. 86.

— Simulation of the Saner Ranch Fracture-assisted Steamflood Pilot, by Y. Soni and R.A. Harmon, Vol. 25, No. 1, P57-70, Jan.-Feb. 86.

— An Analysis of Buckley-Leverett Theory, by T.J.T. Spanos, V. de la Cruz, J. Hube and R.C. Sharma, Vol. 25, No. 1, P71-75, Jan.-Feb. 86.

— Modelling Silica Transport in Large-scale Laboratory Experiments, by T. Stone, J. Boon and G.W. Bird, Vol. 25, No. 1, P76-84, Jan.-Feb. 86.

— Scaled Model Studies of Carbon Dioxide/Brine Injection Strategies for Heavy Oil Recovery from Thin Formations, by G. Rojas and S.M. Farouq Ali, Vol. 25, No. 1, P85-94, Jan.-Feb. 86.

— Analytical Miscible Relative Permeability Curves and their Usage with Compositional and Pseudo-miscible Simulators, by M.S. Jankovic, Vol. 25, No. 4, P55-65, July-Aug. 86.

Reservoir Performance — Design and Analysis of a Fracture with Changing Conductivity, by M.Y. Soliman, Vol. 25, No. 5, P62-67, Sept.-Oct. 86.

Robinson, D.B. — Hydrate Formation and Inhibition in Gas or Gas Condensate Streams, by D.B. Robinson and H-J. Ng, Vol. 25, No. 4, P26-30, July-Aug. 86.

Rojas, G. — Scaled Model Studies of Carbon Dioxide/Brine Injection Strategies for Heavy Oil Recovery from Thin Formations, by G. Rojas and S.M. Farouq Ali, Vol. 25, No. 1, P85-94, Jan.-Feb. 86.

Rusinek, I. — A New Approach for Characterizing Oil Fractions, and for Selecting Pseudo-components of Hydrocarbons, by E. Gonzalez, P. Colonomos and I. Rusinek, Vol. 25, No. 2, P78-84, Mar.-Apr. 86.

S

Saskatchewan — TGA/DSC Investigations of Saskatchewan Heavy Oils and Cores, by B. Verkoczy and K.N. Jha, Vol. 25, No. 3, P47-54, May-June 86.

Saturation — Effect of Temperature on Bitumen-water End Point Relative Permeabilities and Saturations, by M. Polikar, F. Ferracuti, V. DeCastro, V. Rao Puttagunta and S.M. Farouq Ali, Vol. 25, No. 5, P44-50, Sept.-Oct. 86.

Scott, J.D. — Thermal Property Measurements in Oil Sands, by J.D. Scott and A.C. Seto, Vol. 25, No. 6, P70-77, Nov.-Dec. 86.

Seto, A.C. — Thermal Property Measurements in Oil Sands, by J.D. Scott and A.C. Seto, Vol. 25, No. 6, P70-77, Nov.-Dec. 86.

Sharma, R.C. — An Analysis of Buckley-Leverett Theory, by T.J.T. Spanos, V. de la Cruz, J. Hube and R.C. Sharma, Vol. 25, No. 1, P71-75, Jan.-Feb. 86.

Shu, W.R. — Alteration in Heavy Oil Characteristics during Thermal Recovery, by V.N. Venkatesan and W.R. Shu, Vol. 25, No. 4, P66-71, July-Aug. 86.

Simulation — A New Approach for Characterizing Oil Fractions, and for Selecting Pseudo-components of Hydrocarbons, by E. Gonzalez, P. Colonomos and I. Rusinek, Vol. 25, No. 2, P78-84, Mar.-Apr. 86.

Skin Factor — Skin Factor and Flow Efficiency in Wells Producing under Solution Gas Drive, by T.E.W. Nind, Vol. 25, No. 4, P31-34, July-Aug. 86.

Slave Point Carbonate — Sand Fracturing the Slave Point Carbonate, by R.G. Macdonald and J. Frank, Vol. 25, No. 6, P39-47, Nov.-Dec. 86.

Smith, J.M. — Modularization Concepts for the Norman Wells Expansion Project, by J.M. Smith, Vol. 25, No. 4, P52-54, July-Aug. 86.

Soave-Redlich-Kwong Equation-of-State — Binary Interaction Coefficients of the Modified Soave-Redlich-Kwong Equation of State for Bitumen-containing Systems at In Situ Conditions, by Cheng-Tze Fu and V. Rao Puttagunta, Vol. 25, No. 5, P38-43, Sept.-Oct. 86.

Soliman, M.Y. — Design and Analysis of a Fracture with Changing Conductivity, by M.Y. Soliman, Vol. 25, No. 5, P62-67, Sept.-Oct. 86.

Solvent Slug — Effect of Multiple-contact Miscibility on Solvent Slug Size Determination, by S.M. Chen, J. Olynyk and S. Asgarpour, Vol. 25, No. 3, P29-35, May-June 86.

Soni, Y. — Simulation of the Saner Ranch Fracture-assisted Steamflood Pilot, by Y. Soni and R.A. Harmon, Vol. 25, No. 1, P57-70, Jan.-Feb. 86.

Spanos, T.J.T. — An Analysis of Buckley-Leverett Theory, by T.J.T. Spanos, V. de la Cruz, J. Hube and R.C. Sharma, Vol. 25, No. 1, P71-75, Jan.-Feb. 86.

Stanislav, J.F. — An Analysis of Two-phase Flow in Inclined Pipes with Zero Net Liquid Production, by S. Kokal and J.F. Stanislav, Vol. 25, No. 6, P60-64, Nov.-Dec. 86.

Steady-state Flow — Calculating the Pseudo-skin Factor due to Partial Well Completion, by J. Vrbik, Vol. 25, No. 5, P57-61, Sept.-Oct. 86.

Steamflooding — Simulation of the Saner Ranch Fracture-assisted Steamflood Pilot, by Y. Soni and R.A. Harmon, Vol. 25, No. 1, P57-70, Jan.-Feb. 86.

— Retention of Foam-forming Surfactants at Elevated Temperatures, by J. Novosad, B.B. Maini and A. Huang, Vol. 25, No. 3, P42-46, May-June 86.

Stimulation — Improving Oilwell Stimulations with Compatible Oils, by B.R. Hassen, K.E. Porter and L.L. McCorriston, Vol. 25, No. 6, P32-38, Nov.-Dec. 86.

Stone, T. — Modelling Silica Transport in Large-scale Laboratory Experiments, by T. Stone, J. Boon and G.W. Bird, Vol. 25, No. 1, P76-84, Jan.-Feb. 86.

Stratified Flow — An Analysis of Two-phase Flow in Inclined Pipes with Zero Net Liquid Production, by S. Kokal and J.F. Stanislav, Vol. 25, No. 6, P60-64, Nov.-Dec. 86.

Surfactant — Retention of Foam-forming Surfactants at Elevated Temperatures, by J. Novosad, B.B. Maini and A. Huang, Vol. 25, No. 3, P42-46, May-June 86.

— Unique Paraffin Inhibition Technique Reduces Well Maintenance, by J.G. Charles and R.P. Marcinew, Vol. 25, No. 4, P40-44, July-Aug. 86.

T

Temperature Effects — Effect of Temperature on Bitumen-water End Point Permeabilities and Saturations, by M. Polikar, F. Ferracuti, V. DeCastro, V. Rao Puttagunta and S.M. Farouq Ali, Vol. 25, No. 5, P44-50, Sept.-Oct. 86.

Thermal Analysis — TGA/DSC Investigations of Saskatchewan Heavy Oils and Cores, by B. Verkoczy and K.N. Jha, Vol. 25, No. 3, P47-54, May-June 86.

Thermal Conductivity — Thermal Property Measurements in Oil Sands, by J.D. Scott and A.C. Seto, Vol. 25, No. 6, P70-77, Nov.-Dec. 86.

Thermal Neutron — Gas Detection in Upper Cretaceous Formations, by M.A. Woloschuk, W.P. Olson and A.L. Hamel, Vol. 25, No. 6, P48-54, Nov.-Dec. 86.

Thermal Recovery — Modelling Silica Transport in Large-scale Laboratory Experiments, by T. Stone, J. Boon and G.W. Bird, Vol. 25, No. 1, P76-84, Jan.-Feb. 86.
— TGA/DSC Investigations of Saskatchewan Heavy Oils and Cores, by B. Verkoczy and K.H. Jha, Vol. 25, No. 3, P47-54, May-June 86.
— Alteration in Heavy Oil Characteristics during Thermal Recovery, by V.N. Venkatesan and W.R. Shu, Vol. 25, No. 4, P66-71, July-Aug. 86.
— The Expansion of Tar Sands during Thermal Recovery, by R.M. Butler, Vol. 25, No. 5, P51-56, Sept.-Oct. 86.
— Fluid/Pore-mineral Transformations during Simulated Steam Injection: Implications for Reduced Permeability Damage, by B.A. Hebner, G.W. Bird and F.J. Longstaffe, Vol. 25, No. 5, P68-73, Sept.-Oct. 86.
Thermal Stability — Retention of Foam-forming Surfactants at Elevated Temperatures, by J. Novosad, B.B. Maini and A. Huang, Vol. 25, No. 3, P42-46, May-June 86.
Thornton, R.W. — Lessons from Eyehill, by R.G. Farquharson and R.W. Thornton, Vol. 25, No. 2, P47-53, Mar.-Apr. 86.
Tomilson, G.R. — Production Loans: One Bank's Approach, by G.R. Tomilson, Vol. 25, No. 5, P85-90, Sept.-Oct. 86.
Transportation — Heavy Oil Transportation—Present and Future, by R.D. Urquhart, Vol. 25, No. 2, P68-71, Mar.-Apr. 86.
— Hydrate Formation and Inhibition in Gas or Gas Condensate Streams, by D.B. Robinson and H-J. Ng, Vol. 25, No. 4, P26-30, July-Aug. 86.
— Skin Factor and Flow Efficiency in Wells Producing under Solution Gas Drive, by T.E.W. Nind, Vol. 25, No. 4, P31-34, July-Aug. 86.
— Miscible Flood—Field Facility Design, by K. Verma and P. Giesbrecht, Vol. 25, No. 4, P35-40, July-Aug. 86.
— Unique Paraffin Inhibition Technique Reduces Well Maintenance, by J.G. Charles and R.P. Marcinew, Vol. 25, No. 4, P40-44, July-Aug. 86.
— Offshore Topside Facilities Optimization, by J.I. Mockridge and N. Akhtar, Vol. 25, No. 4, P45-51, July-Aug. 86.
— Modularization Concepts for the Norman Wells Expansion Project, by J.M. Smith, Vol. 25, No. 4, P52-54, July-Aug. 86.
Two-phase Flow — Relative Permeabilities in Two-phase Flow Through Porous Media: an Application of Effective Medium Theory, by S. Levine and D.L. Cuthiell, Vol. 25, No. 5, P74-84, Sept.-Oct. 86.
— An Analysis of Two-phase Flow in Inclined Pipes with Zero Net Liquid Production, by S. Kokal and J.F. Stanislav, Vol. 25, No. 6, P60-64, Nov.-Dec. 86.

U

Urquhart, R.D. — Heavy Oil Transportation—Present and Future, by R.D. Urquhart, Vol. 25, No. 2, P68-71, Mar.-Apr. 86.

V

Venkatesan, V.N. — Alteration in Heavy Oil Characteristics during Thermal Recovery, by V.N. Venkatesan and W.R. Shu, Vol. 25, No. 4, P66-71, July-Aug. 86.
Verkoczy, B. — TGA/DSC Investigations of Saskatchewan Heavy Oils and Cores, by B. Verkoczy and K.N. Jha, Vol. 25, No. 3, P47-54, May-June 86.
Verma, K. — Miscible Flood—Field Facility Design, by K. Verma and P. Giesbrecht, Vol. 25, No. 4, P35-40, July-Aug. 86.
Viscosity — A Mathematical Representation of the Carr, Kobayashi and Burrows Natural Gas Viscosity Correlations, by P.M. Dranchuk, M.R. Islam and R.G. Bentsen, Vol. 25, No. 1, P51-56, Jan.-Feb. 86.
— A Laboratory Study of Heavy Oil Recovery with Carbon Dioxide, by K.N. Jha, Vol. 25, No. 2, P54-63, Mar.-Apr. 86.
— Alteration in Heavy Oil Characteristics during Thermal Recovery, by V.N. Venkatesan and W.R. Shu, Vol. 25, No. 4, P66-71, July-Aug. 86.
Viscosity Ratio — A Mathematical Representation of the Carr, Kobayashi and Burrows Natural Gas Viscosity Correlations, by P.M. Dranchuk, M.R. Islam and R.G. Bentsen, Vol. 25, No. 1, P51-56, Jan.-Feb. 86.
Visbreaking — Alteration in Heavy Oil Characteristics during Thermal Recovery, by V.N. Venkatesan and W.R. Shu, Vol. 25, No. 4, P66-71, July-Aug. 86.
Vittoratos, E.S. — Hydrocarbon Solvent Design using Miscible Equivalence, by J.P. Batycky, E.S. Vittoratos and R.S. Wu, Vol. 25, No. 3, P24-28, May-June 86.
Vrbik, J. — Calculating the Pseudo-skin Factor due to Partial Well Completion, by Jan Vrbik, Vol. 25, No. 5, P57-61, Sept.-Oct. 86.

W

Waterflooding — Prospects of EOR Techniques in Saskatchewan Oil Reservoirs, by S.M. Farouq Ali, Vol. 25, No. 2, P64-67, Mar.-Apr. 86.
— An On-site Method for Optimizing Oil Recovery during Drilling of Deviated and Off-target Wells at Norman Wells, by D.W. Heacock, Vol. 25, No. 3, P60-65, May-June 86.
Well Completion — Calculating the Pseudo-skin Factor due to Partial Well Completion, by Jan Vrbik, Vol. 25, No. 5, P57-61, Sept.-Oct. 86.
Well-treatment Simulator — Unique Paraffin Inhibition Technique Reduces Well Maintenance, by J.G. Charles and R.P. Marcinew, Vol. 25, No. 4, P40-44, July-Aug. 86.
Wettability — Miscible Displacement of Residual Oil—Effect of Wettability on Dispersion in Porous Media, by B.B. Maini, E. Ionescu and J.P. Batycky, Vol. 25, No. 3, P36-41, May-June 86.
Wolf Lake Project — Benefits to the Canadian Economy from Wolf Lake Project, by L. Czaja, M. Kirkegaard, W. Haessel and G. Douglas, Vol. 25, No. 2, P89-94, Mar.-Apr. 86.
Woloschuk, M.A. — Gas Detection in Upper Cretaceous Formations, by M.A. Woloschuk, W.P. Olson and A.L. Hamel, Vol. 25, No. 6, P48-54, Nov.-Dec. 86.
Wu, R.S. — Hydrocarbon Solvent Design using Miscible Equivalence, by J.P. Batycky, E.S. Vittoratos and R.S. Wu, Vol. 25, No. 3, P24-28, May-June 86.
— Enriched Gas Displacement: Design of Solvent Compositions, by R.S. Wu, J.P. Batycky, B. Harker and D. Rancier, Vol. 25, No. 3, P55-59, May-June 86.


1.0
1.1
1.25
1.4
1.6
1.8
2.0
2.2
2.5
2.8
3.2
3.6
4.0
4.5
5.0
5.6
6.3
7.1
8.0
9.0